

## SPE RESPONSE FOR CERTIFICATE OF CORRECTION

DATE

: 6/4/07Paper No.:     

TO SPE OF

: ART UNIT 2618

SUBJECT

: Request for Certificate of Correction for Appl. No.: 10/44535 Patent No: 7127226 B2

A response is requested with respect to a request for a certificate of correction.

With respect to the change(s) requested to correct Office and/or Applicant's errors, should the patent read as shown in the certificate of correction attached herewith or the COCIN document(s), in IFW images for the above-identified patented application? No new matter should be introduced, nor should the scope or meaning of the claims be changed.

If the response is for an IFW, within 7 days, please complete and forward the response, to the employee (named below) via scanning into application images, using document code COCX.

If the response is for a paper file wrapper, please complete the response and forward the response with the paper file wrapper, to the employee (named below), within 7 days, to:

**Certificates of Correction Branch (CofC)**

**South Tower - 9A22**

**Palm Location 7580**

**VIRGINIA TOLBERT**

**Certificates of Correction Branch**

**703-308-9390 ext. 113**

**Thank You For Your Assistance**

**The request for issuing the above-identified correction(s) is hereby:**

Note your decision on the appropriate box.

☒ **Approved**

All changes apply.

☐ **Approved in Part**

Specify below which changes do not apply.

☐ **Denied**

State the reasons for denial below.

**Comments:** The Certificate of Correction received on 5/16/2007 is the

Correction to be entered. *W*

EDWARD F. URBAN

**SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 2600**

**SPE**

2618  
**Art Unit**